

Appointment

From: R5Metcalf-ConfRm-R1513A/R5-Metcalf---15th-Floor [r5metcalfe-confm-r1513a@epa.gov]
Sent: 4/18/2018 8:27:42 PM
To: Burdett, Cheryl [burdett.cheryl@epa.gov]
Subject: Declined: Procedures for collection of Samples and safety measures for GeoProbe
Location: R5Metcalf-ConfRm-R1516/R5-Metcalf---15th-Floor; R5Metcalf-ConfRm-R1515B/R5-Metcalf---15th-Floor;
R5Metcalf-ConfRm-R1513A/R5-Metcalf---15th-Floor; R5Metcalf-ConfRm-R1520B/R5-Metcalf---15th-Floor;
R5Metcalf-ConfRm-R1507X/R5-Metcalf---15th-Floor
Start: 4/19/2018 5:30:00 PM
End: 4/19/2018 7:00:00 PM
Recurrence: (none)

Your request was declined because there are conflicts.

The conflicts are:

Organizer and Time of Conflicting Meeting

Edly, Kay - Thursday, April 19, 2018 1:00:00 PM to Thursday, April 19, 2018 2:00:00 PM

All times listed are in the following time zone: (UTC-06:00) Central Time (US & Canada)

Sent by Microsoft Exchange Server 2016